

SAFETY DATA SHEET KI-403 MOSS AND ALGAE REMOVER Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name KI-403 MOSS AND ALGAE REMOVER

5L

Product number 800-196-0008 C12

Container size

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Disinfectant.

1.3. Details of the supplier of the safety data sheet

Supplier	Cleaning Supplies 2U Ltd.
	Unit 4, Pineapple Park
	Road One,
	Winsford Industrial Estate
	Winsford
	Cheshire
	CW7 3PR
Tel:	+44 (0) 1606 863637
Email:	info@cleaningsupplies2u.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1606 863637

National emergency telephone: In case of a medical emergency following exposure to a chemical call NHS Direct in England number or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified

Health hazardsSkin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word

Hazard statements	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
Precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with local regulations.
Contains Detergent labelling 2.3. Other hazards	P280 Wear protective clothing and gloves. QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES, ALCOHOLS, C12-14, ETHOXYLATED < 5% disinfectants, < 5% non-ionic surfactants

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

QUATERNARY AMMONIUM COMPOL 16-ALKYLDIMETHYL, CHLORIDES	INDS, BENZYL-C12-	1-5%
CAS number: 68424-85-1	EC number: 270-325-2	
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC or 1999/45/EC) C;R34 Xn;R21/22 N;R50	
ALCOHOLS, C12-14, ETHOXYLATED		<1%
CAS number: 68439-50-9	EC number: 500-213-3 REACH registration number: 01- 2119487984-16-XXXX	
M factor (Acute) = 1		
Classification Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412	Classification (67/548/EEC or 1999/45/EC) Xi;R41. N;R50.	
The Full Text for all R-Phrases and Haz	ard Statements are Displayed in Section 16.	
SECTION 4: First aid measures		
4.1. Description of first aid measures		
General information Provide	eyewash station.	

Inhalation

Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Provide eyewash station.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
5.2. Special hazards arising from	om the substance or mixture
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
5.3. Advice for firefighters Protective actions during Firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters clothing.	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.
6.2. Environmental precaution	S
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	<u>18</u>
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe ha	ndling
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective
	clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.
7.2. Conditions for safe stor	age, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Con	ntrols/personal protection
8.1. Control parameters	
	ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)
DNEL	Workers - Inhalation; Long term systemic effects: 294 mg/m ³ Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m ³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day
PNEC	 Fresh water; 0.0437 mg/l Intermittent release; 0.004 mg/l STP; 10 mg/l Sediment (Freshwater); 31 mg/kg Sediment (Marinewater); 31 mg/kg Soil; 1 mg/kg
8.2. Exposure controls	
Protective equipment	



Appropriate engineering

Provide adequate ventilation.

Eye/face protection

controls

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

	KI-403 MOSS AND ALGAE REMOVER
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Pale green liquid.
Odour	Odourless.
рН	pH (concentrated solution): 10.5
Relative density	0.98-1.01 @ 20°C
Solubility(ies)	Soluble in water.
Explosive properties	There are no chemical groups present in the product that are associated with explosive properties.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	There are no chemical groups present in the product that are associated with oxidising properties.
Comments	Information given is applicable to the product as supplied.
9.2. Other information	
Other information	Not relevant.
SECTION 10: Stability and re	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous r	eactions
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition	No known hazardous decomposition products.	
products		

SECTION 11: Toxicological information

11.1. Information on toxicologi	ical effects
Toxicological effects	No information available.
Acute toxicity - oral	
Notes (oral LD ₅₀)	Estimated value. Based on available data the classification criteria are not met.
ATE oral (mg/kg)	31,800.0
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Estimated value. Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	124,800.0
Acute toxicity - inhalation	
Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Skin corrosion/irritation	Skin irritation. Calculation method.
Serious eye damage/irritation	
Serious eye damage/irritation	Causes eye irritation. Calculation method.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
Carcinogenicity	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity	
Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	This product has low toxicity.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

Skin contactSkin irritation should not occur when used as recommended. Prolonged or repeated exposure
may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild
dermatitis, allergic skin rash.Eye contactIrritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and

blurred vision. Corneal damage.

Toxicological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Acute toxicity - oral

Acute toxicity oral (LD $_{50}$ mg/kg)	397.5
Species	Rat
ATE oral (mg/kg)	397.5
Acute toxicity - dermal	
ATE dermal (mg/kg)	1,560.0

SECTION 12: Ecological Information

Ecotoxicity

There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity

Not considered toxic to fish.

Ecological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Acute aquatic toxicity

LE(C) ₅₀	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.85 - 1.2 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC_{50} , 48 hours: 0.02 mg/l, Daphnia magna
Acute toxicity - aquatic plants	LC ₅₀ , 96 hours: 0.06 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Persistence and degradability

The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility

The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General informationDo not discharge into drains or watercourses or onto the ground.Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the
local Waste Disposal Authority. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
	Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials. Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms	DNEL: Derived No Effect Level.
used in the safety data sheet	PBT: Persistent, Bioaccumulative and Toxic substance.PNEC: Predicted No Effect Concentration.MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	09/07/2018
Revision	4
Supersedes date	08/05/2017
SDS number	20599
Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

- Hazard statements in full
 H302 Harmful if swallowed.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.
 - H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.