



A solution for every problem

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/6

SM - Waterless Wash 'n' Wax

Revision 1

Revision date 2018-03-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SM - Waterless Wash 'n' Wax

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);

1.3. Details of the supplier of the safety data sheet

Company Sure Chemicals Limited
Address Martindale Industrial Estate
Hawks Green
Cannock
Staffordshire WS11 7XN
Web www.surechemicals.co.uk
Telephone 01543 462 000
Fax 01543 579 311
Email sales@surechemicals.co.uk
Email address of the competent person sales@surechemicals.co.uk

1.4. Emergency telephone number

Emergency telephone number 01543 462 000
8.00 am - 4.30 pm Mon - Fri
If out of these hours, please call NHS, non emergency, on 111.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008 Skin Irrit. 2: H315; Eye Irrit. 2: H319;

2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.
Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary Statement: Prevention

P264 - Wash thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement: Response

P302+P352 - IF ON SKIN: Wash with plenty of water/ .
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

SM - Waterless Wash 'n' Wax

Revision 1

Revision date 2018-03-16

2.2. Label elements

lenses, if present and easy to do. Continue rinsing.
 P321 - Specific treatment (see on this label).
 P332+P313 - If skin irritation occurs: Get medical advice/attention.
 P337+P313 - If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		10 - 20%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
Methanol	603-001-00-X	67-56-1	200-659-6	01-2119392409-28 01-2119433307-44	0 - 0.5%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H301; STOT SE 1: H370;
Lauryl Ether Sulphate					1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Alcohol Ethoxylate					1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No irritation expected.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. If you feel unwell, seek medical advice (show the label where possible).
Skin contact	Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	No irritation expected.
Eye contact	Causes severe inflammation and may damage the cornea.
Skin contact	Irritating to skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. If unsure, seek medical attention/advice.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

SM - Waterless Wash 'n' Wax

Revision 1

Revision date 2018-03-16

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable gloves. Safety glasses.

6.2. Environmental precautions

No environmental requirements.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Dispose of this material and its container to hazardous or special waste collection point. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

See Section 7 for handling information. See Section 8 for personal protection information. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

Suitable packaging

Store in original container.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethylene glycol monobutyl ether (2-Butoxyethanol)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m ³ : 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m ³ : 101.2
	WEL 8-hr limit mg/m ³ total inhalable dust: -	WEL 15 min limit mg/m ³ total inhalable dust: -
	WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 15 min limit mg/m ³ total respirable dust: -
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m ³ : 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m ³ : 1250
	WEL 8-hr limit mg/m ³ total inhalable dust: -	WEL 15 min limit mg/m ³ total inhalable dust: -
	WEL 8-hr limit mg/m ³ total respirable dust: -	WEL 15 min limit mg/m ³ total respirable dust: -

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Isopropanol	Long-term - inhalation - Systemic effects	500 mg/m ³
	Long-term - dermal - Systemic effects	888 mg/kg

Exposure Pattern - General population

Isopropanol	Long-term - inhalation - Systemic effects	89 mg/m ³
	Long-term - dermal - Systemic effects	319 mg/kg
	Long-term - oral - Systemic effects	26 mg/kg

8.2. Exposure controls

SM - Waterless Wash 'n' Wax

Revision 1

Revision date 2018-03-16

8.2. Exposure controls

Eye / face protection	Safety glasses.
Skin protection - Handprotection	Nitrile rubber gloves.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Not normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Mild
Odour threshold	Not determined
pH	6 - 8
Melting point	Not determined
Initial boiling point	> 100
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Upper Explosive Limit	Not determined
Lower Explosive Limit	Not determined
Vapour pressure	Not determined
Vapour density	Not determined
Relative density	0.9 - 1.1
Partition coefficient (n-octanol/water)	Not determined
Autoignition temperature	Not determined
Viscosity	Not determined
Explosive properties	Product is considered non-explosive
Oxidising properties	Product is considered non-oxidising.
Solubility	Soluble in water

SECTION 10: Stability and reactivity

10.1. Reactivity

	No precautions required to be mentioned.
--	--

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Strong acids.
--	---------------

10.4. Conditions to avoid

	Protect from frost.
--	---------------------

10.5. Incompatible materials

	Strong acids.
--	---------------

10.6. Hazardous decomposition products

	No data is available on this product.
--	---------------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Irritating to skin.
Serious eye damage/irritation	Causes severe inflammation and may damage the cornea.

SM - Waterless Wash 'n' Wax

Revision 1

Revision date 2018-03-16

11.1. Information on toxicological effects

Respiratory or skin sensitisation	No sensitization effects reported.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No reproductive toxicity effects reported.
STOT-single exposure	No target organ toxicity effects reported.
STOT-repeated exposure	No target organ toxicity effects reported.
Aspiration hazard	No aspiration hazards reported.

11.1.4. Toxicological Information

Ethylene glycol monobutyl ether	Oral Rat LD50: 1480 mg/kg	Dermal Rabbit LD50: 400 mg/kg
Isopropanol	Oral Rat LD50: >2000 mg/kg Inhalation Rat LC50/4 h: >20 mg/l	Dermal Rabbit LD50: >2000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Isopropanol	Daphnia EC50/48h: 100.0000 mg/l	Algae EC50/72h: 100
-------------	---------------------------------	---------------------

12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of this material and its container to hazardous or special waste collection point.
--	--

SECTION 14: Transport information

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

14.6. Special precautions for user

SM - Waterless Wash 'n' Wax

Revision 1

Revision date 2018-03-16

14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
--------------------	---

15.2. Chemical safety assessment

	A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.
--	---

SECTION 16: Other information**Other information**

Revision	This document differs from the previous version in the following areas: 12 - 12.1. Toxicity.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H332 - Harmful if inhaled. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H311 - Toxic in contact with skin. Acute Tox. 3: H331 - Toxic if inhaled. STOT SE 1: H370 - Causes damage to organs . STOT SE 2: H371 - May cause damage to organs . Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. STOT SE 3: H336 - May cause drowsiness or dizziness.